



Xena Layer 2-3 Test Platform

The world's best Ethernet
traffic generation and
analysis solutions



ABOUT XENA

- XENA AND THE MARKET
- OUR TRACK RECORD
- APPLICATION OVERVIEW
- CUSTOMERS
- GLOBAL PRESENCE

LAYER 2-3

- HARDWARE
- SOFTWARE
- KEY FEATURES
- APPLICATIONS
- ROADMAP

LAYER 4-7

- OVERVIEW
- HARDWARE
- SOFTWARE
- KEY FEATURES
- APPLICATIONS
- ROADMAP



L2-3 Hardware

- XenaBay Chassis
- Xena Compact Chassis
- Test Modules



HARDWARE – XenaBay (C4-12) chassis



- Modular – 12 slots
- High port density
- 4U rack-mountable
- Weight: 18 kg (40lbs)
- Low noise

SPEEDS	PORTS	
100GE	6	LR4/SR4/CDWM4/SR10/CR4 ports
50GE	12	LR2/SR2 optical, CR2 electrical ports
40GE	24	QSFP+ (or 6 x LR4 / 12 x SR4) ports
25GE	24	LR/SR optical, CR electrical ports
10GE	144	Optical ports
5GE	72	Copper ports
2.5GE	72	Copper ports
1GE	72	Copper/optical ports

HARDWARE – XenaCompact (C1-xxxx) chassis



Supports all Xena test modules
Easy to transport
Low noise




Flightcase available

Fixed – 1 test module
1U rack-mountable
Weight: 6 kg (14lbs)



HARDWARE – Test Modules

- 18 different test modules
- Support for all Ethernet speeds and interfaces
- Unique multi-speed / media capabilities
- 200GE & 400GE coming soon



The five-speed M1QSFP28SFP28 can test 100 / 50 / 40 / 25 & 10GE) via QSFP28 and QSFP+

100GE	50GE	40GE	25GE	10GE	5GE	2.5GE	1GE
M1QSFP28SFP28 M1CFP4QSFP28CXP M1QSFP28CXP M1CFP100	M1QSFP28SFP28	M1QSFP28SFP28 M1CFP4QSFP28CXP M1QSFP28CXP M1CFP100 M2QSFP+ M2CFP40	M1QSFP28SFP28	M1QSFP28SFP28 M6RJ45N M12QSFP10 M2XFP M2SFP+ M2SFP+T C1-M2SFP+4SFP M6SFP+ M2RJ45+ M6RJ45+	M6RJ45N	M6RJ45N	M6RJ45N M6SFP M6SFP-E M2SFPT



L2-3 SOFTWARE

- Management Software
- Test Applications
- Automation & Scripting



XenaManager-2G



The software you'll use most of the time

This is a Windows-based application used to configure and generate streams of Ethernet traffic between Xena test equipment and devices under test (DUTs) at all speeds up to 100Gbps, and analyze the results.

It is included free with every system sold and the latest version can always be downloaded here: <http://xenanetworks.com/download/>

USER-FRIENDLY GUI



1 Chassis tree (Left sidebar)

2 Menu bar (Top)

3 Stream Traffic Statistics table

Src.Port	SID	Dest.Port	TID	Description	Tx (pps)	Tx L1 (bit/)	Tx L2 (bit/)	Tx (bytes)	Rx (pps)	Rx L1 (bit/)	Rx L2 (bit/)	Rx (bytes)	Rx (packets)
Port 0/11/1	0	Port 0/11/0	8	Stream number 0	148,809	99,999,580	76,190,140	1,550,947,638,528	148,809	99,999,840	76,190,400	1,550,947,706,304	24,233,557,911
Port 0/11/0	0	Port 0/11/1	6	Stream number 0	148,809	99,999,500	76,190,060	1,550,947,707,392	148,809	99,999,850	76,190,410	1,550,947,637,440	24,233,556,835

4 Stream Statistics Chart (Bottom right)

5 Chart legend (Bottom right)

Legend items:
Left Axis Legend: P-0-11-0/T:8, P-0-11-1/T:6
Right Axis Legend: P-0-11-0/T:8, P-0-11-1/T:6




Xena2544

Supports the 4 test-types specified in RFC2544. There are extensive configuration options, support for single stream and multi-stream testing and you can define protocol layers supported by the test (Ethernet, Customer and Service VLANs, IP and UDP) precisely the way you want.



Xena2889

For accurately benchmarking the performance of Layer 2 LAN switches according to RFC 2889 tests. Incl. all throughput and forwarding rate tests, congestion control, address caching capacity, address learning rate, broadcast frame forwarding and latency, forward pressure and max. forwarding rate.



Xena1564

For validating Ethernet service-level agreements (SLAs) in a single test per Y.1564. It supports multiple protocols per UNI (Ethernet, Customer and Service VLANs, MPLS, IPv4, IPv6, and UDP) and you can define Per-UNI or per-CoS bandwidth profiles, and specify CoS-to-DSCP mapping.



Xena3918

For advanced IP multicast network testing using various framesizes, either as in-test variations or as multiple testruns each using a fixed frame size. Unicast and multicast traffic can be configured to use the exact protocol headers needed. All fields in the protocol headers can be modified.



XenaScripting

The best test automation tool in the industry

XenaScripting is a command-line-interface (CLI) scripting API with hundreds of scriptable parameters. Any client platform can be used (e.g. Tcl, Perl, Python, Java, Ruby and VBA). XenaScripting supports multiple concurrent scripting sessions by different users in different locations.



python



Java



Perl



Ruby



Bash



TCL



Linux



See all our Automation Resources - xenanetworks.com/automation/




DOCUMENTATION

Step-by-step guides on how to automate Xena test suites and explore Layer 2-7 scripting.



DRIVERS & SCRIPTS

Find and download drivers and scripting examples in 8 scripting languages.



PLATFORMS

Learn about commercial and open source platforms and frameworks that support Xena's ethernet test solutions.




PROJECTS

Read about Xena's work with Open Platform for NFV (OPNFV) community on the vSwitch Performance (VSPerf) project.

Visit xenanetworks.com/automation/


COMMON TESTBED SCENARIO



XENA TIMESYNCH



For One-Way Latency (OWL) measurements,
synchronized traffic start and accurate timestamping





KEY FEATURES

- Stream-oriented traffic generation
- Statistics Charting and Logging
- Real-time Analysis and Reporting
- Scheduling
- Eye Diagram
- Design – high port density / low noise



Stream-oriented Traffic Generation

- Generate hundreds of unique transmit and receive traffic “streams”
- Each stream can generate 100k’s of unique traffic “flows” using programmable packet field modifiers to increment or randomize field values such as MAC addresses, IP addresses, and VLAN identifiers
- Stream rates can be defined as a percentage of line rate, frames per second, or bit-rate
- Packet injection can be controlled as a single-packet shot, number of packets, time duration, or in continuous mode
- Traffic profiles can be defined as uniform or bursty
- Custom packet editing (via a graphical editor) lets you build any packet format via predefined packet templates for Ethernet, Ethernet II, VLAN, ARP, IPv4, IPv6, UDP, TCP, LLC, SNAP, GTP, ICMP, RTP, RTCP, STP, SCTP, MPLS, PBB, FCoE, IGMPv2/3, or fully specified by user.

Statistics Charting and Logging



- Real-time charts of monitored parameters. Displays multiple charts at once
- Choose two different parameters where each parameter is associated with its own Y-axis
- Periodically poll counters for all ports in a testbed and log to a CSV or XML file



Real-time Analysis and Reporting

Packet flow statistics are tracked per stream, or per-user defined filters which can include any combination of programmable field values. Incoming packet streams are automatically identified using optionally auto-inserted Test Payload fields.

Analysis of traffic throughput, latency, jitter, loss, sequence, and disorder errors is performed real-time per received stream with 16/32 ns accuracy depending on the interface type (optical/electrical).

Users can capture packets at wire speed on each port for detailed analysis and hot-button export packet analysis tool WireShark, which in conjunction with event triggering and programmable filters provides a unique ability to identify and isolate performance issues.





KEY FEATURES

Scheduling

XenaManager-2G supports scheduling – a sequence of operations activated with a single mouse click – to make testing easier.

Stream Scheduler can be used to start-and-stop traffic, change packet rate, change operations orders, add loop section, etc.

Stream Scheduler for testbed 'Default testbed'

+ Add Schedule - Remove Schedule | Rename Schedule | Start Schedule

Selected Schedule: State: **Stopped**


Current Schedule Operations: + Add Operation - Remove Operation | Load Schedule | Save Schedule

Operation	Parameter	Operation Data	Target	State
Set Parameter Value	Bit Rate L2 (bit/s)	10.000 bit/s (L2)	S-0-0-2-0,S-0-0-3-0	
Enable Stream			S-0-0-2-0	
Start Traffic			All targets	
Wait Period		10.000 seconds	N/A	
Stop Traffic			All targets	
Disable Stream			All targets	
Wait Period		10.000 seconds	N/A	
Enable Stream			S-0-0-3-0	
Start Traffic			All targets	



Unique Eye Diagram

Xena's latest generation of multi-speed 100GE test modules support a unique feature for analyzing signal quality called the "eye diagram" – an estimate of parameters such as width, height and jitter presented in a convenient graphical format.





APPLICATIONS

- QoS Solutions
- Benchmark Testing
- Functional Testing
- Convergence
- Service Validation
- Security / Negative Testing
- Open Flow
- Conformance



QoS Solutions

Traffic is typically given a priority depending on its importance. Some types of traffic are more sensitive to latency, jitter and packet loss than other.

Xena offers QoS validation solutions in accordance with RFC 2544 and Y.1564, as well as advanced statistics functions that help users track, analyze and troubleshoot QoS to maintain a high service quality guarantee.

See these White Papers on our website:

- [Latency & Jitter](#)
- [Application Emulation](#)
- [Time Synchronization](#)
- [Quality of Service \(QoS\)](#)

QoS Testing

- Network application emulation
- Charting and histograms
- Background traffic injection
- Jitter analysis
- One-way latency analysis
- Inline measurements mode
- TCP response time and performance
- HTTP performance testing
- Latency monitoring



Benchmark Testing

Benchmark testing focuses the performance of a DUT via parameters like maximum throughput, latency and jitter.

Testing can be done with different frame sizes to check how this affects the performance. The DUT can be loaded beyond its throughput capacity to see how this affects frame loss, latency and jitter.

Benchmark Testing

- RFC2889
- RFC2544
- RFC3918
- VSperf (Virtual Switch Performance)
- G.FAST per ID-337
- GPON per TR-247/ATP-247 and TR-255

See these White Papers on our website:

[VSPERF](#)

[GPON Testing](#)

[G.fast](#)

[100G PON](#)

[TCP Testing](#)

[Testing NGFWs](#)

[Emulation vs. Simulation](#)

[Advanced Layer 4 replay](#)



Functional Testing

Functional testing can cover many parameters and depends on the DUT and the application.

The testing will verify the basic functionality of the DUT. Functional testing can be performed during development, quality assurance and production.

See these White Papers on our website:

[Microburst
Automotive Ethernet
Putting 2.5GE & 5 GE to the test](#)

[The case for 25GE & 50GE
Emulation vs. Simulation
Advanced Layer 4 replay](#)

Functional Testing

- Multicast
- 40/100G PCS and PMA Layer
- Transparent Transport
- Energy Efficient Ethernet (EEE)
- Microbursts and random IFG
- Synchronous Ethernet
- Automotive Ethernet
- 1588v2 Performance Testing
- Regression testing
- Kernel drivers and NIC testing
- Hardware emulation (ASIC)



Convergence

Many network topologies provide resiliency to protect network services. This typically means re-routing traffic away from a faulty line section. However re-routing connections can result in frame loss.

When traffic with a given transmitted frame rate is sent through the connection during re-routing, XenaManager-2G can measure the packet loss and calculate the convergence time.

Convergence

- Spanning (xSTP) and Routing
- G.8031/G.8032
- MPLS



Service Validation

Testing that link performance complies with a Service Level Agreement (SLA) includes verifying Frame Transfer Delay (FTD), Frame Delay Variation (FDV) and Frame Loss Ratio (FLR) at the Committed Information Rate (CIR) defined in the SLA.

Verifying the SLA with the Xena1544 allows doing the test on a line simultaneously loaded with traffic from other services.

See these White Papers on our website:

[SD-WAN](#)

Service Validation

- ITU-T Y.1564
- Live Monitoring
- Proactive Testing
- Wholesale Ethernet
- Performance Logging



Security / Negative Testing

Security/negative testing is usually conducted during development to reveal how a DUT handles abnormal conditions like:

- very high traffic load,
- different frame sizes incl. undersized and oversized frames,
- frames with different IFG settings,
- various types of errors and deviation of the signal frequency
- various types of DDoS attacks.

Security / Negative Testing

- Firewall Performance testing
- L2/3/4 Errors
- PCS Layer Errors
- Fragment Overlap
- DDoS / Protocol Fuzzing

See these White Papers on our website:

[NGFW performance](#)
[DDOS](#)



Open Flow

Software Defined Networking (SDN) products need to meet the Open Networking Foundation (ONF) OpenFlow specifications.

It is also important to measure the performance of SDN switches. This includes how long it takes to process OpenFlow messages sent to the switch to add/modify/delete rules in the switch's forwarding table ("Flow-Mod" messages).

See these White Papers on our website:

- [OpenFlow](#)

Open Flow

- Table Capacity
- Flow-Mod
- Packet In/Out



Conformance

Conformance testing determines if a DUT complies with the requirements stated in a given specification/standard.

For example G.8031 and G.8032 Ethernet Protection Switching typically require that switching from a faulty line to a backup line is completed in less than 50 msec. This can be verified as a part of a conformance test.

Conformance

- Spanning (xSTP) and Routing
- G.8031/G.8032
- MPLS

Coming up...



New test modules that support 50/200/400GE Ethernet speeds, based on 56Gbps PAM4 SerDes technology

XenaLine – a new production test solution for manufacturers

XenaEmulate - network emulation (impairment) for 10GE to 200GE speeds



Value for Money

All current SW applications included for free

- XenaManager-2G, XenaScripting, Xena2544, Xena2889, Xena3889, Xena1564

Free 36 Months of Software Maintenance subscription included

- All future SW applications and features covered under 3 year SW maintenance agreement

Free technical support

- Free technical support for lifetime of products
- E-mail, web-based training sessions

Free RMA (12 months HW warranty)

- Ship to US or Europe for repair
- Inbound and outbound shipping paid by Xena

FOR MORE INFORMATION



Layer 2-3 landing page

Visit now

Software Download

Visit now

Test Modules

Visit now

Install Guide

Visit now

User Manuals

Visit now

Tech Support

Visit now

US West Coast

sales.usa@xenanetworks.com

US East Coast

sales.usa@xenanetworks.com

Europe / EMEA

sales@xenanetworks.com

China / APAC

sales.apac@xenanetworks.com

India

sales.india@xenanetworks.com